

LAMPIRAN

Lampiran 1.1 Kartu Bimbingan



UNIVERSITAS PUTRA BANGSA

Kampus Pusat : Jl. Ronggowarsito 18 Pejagoan Kebumen, Telp. 0287-384011
Kampus Dua : Jl. Raya Buntu - Gombong KM 05 Kemranjen Banyumas, Telp. 0287-5296662

Kartu Bimbingan Skripsi

Nama : Meilah Nur Syamsiyah
NIM : 220202641
Program Studi : Sarjana Ilmu Komputer
Fakultas : Sains dan Teknologi
Dosen Pembimbing : Awaludin Abid, S.Kom, M.Kom

No	Tanggal	Materi Bimbingan	Status
1	04 November 2025	Pengajuan judul	Valid
2	07 November 2025	revisi BAB 1 1. latar belakang perlu ditambahkan 2. batasan masalah perlu diperbaiki	Valid
3	25 November 2025	1. Penambahan judul dengan teknologi kebaruan, terkait validasi maps 2. Alasan kenapa wensite pada bagian rujukan (ontime pyroll) diperbaiki 3. Tambahkan pada latar belang terkait penambahan judul BAB II 1. Tabel penelitian terdahulu mencakup perban	Valid
4	18 Desember 2025	bab 2	Valid
5	30 Desember 2025	bimbingan bab 2 dan 3	Valid
6	02 Januari 2026	refisi bab 3	ACC Seminar
7	18 Februari 2026	bab 4 dan 5	Valid
8	02 April 2026	bab dan 5	Valid
9	14 April 2026	bab 4 & 5	Valid
10	22 April 2026	bab 5	Valid
11	05 Mei 2026	bab 5	ACC Sidang

Kebumen, 05 Mei 2026
Dosen Pembimbing

Awaludin Abid, S.Kom, M.Kom
NIDN. 0619129003

Lampiran 1. 2 Kartu Seminar Proposal



**UNIVERSITAS PUTRA BANGSA
PROGRAM STUDI ILMU KOMPUTER (SI)
KARTU TANDA PESERTA SEMINAR PROPOSAL SKRIPSI**

Nama : Meliah Nur Syamsiyah
NIM : 2102026411

NO	PEMAKALAH			TANGGAL	PARAF MODERATOR
	NAMA MAHASISWA	NIM	NAMA MODERATOR		
1.	Ari Hantoro	210202593	Nunang Pradita S.Kom., M.Kom Sarjimin S.Kom., M.Kom	16-07-2025	CF
2.	Arif Nur Rakhmat	210202559	Nunang Pradita S.Kom., M.Kom Sarjimin S.Kom., M.Kom	16-07-2025	CF
3.	Juan Tito Yudistira	210202601	Nunang Pradita S.Kom., M.Kom Sarjimin S.Kom., M.Kom	16-07-2025	CF
4.	Aprilia Ayu Lestari	210202592	Nunang Pradita S.Kom., M.Kom Sarjimin S.Kom., M.Kom	16-07-2025	CF

Catatan :

1. Kartu ini dibawa pada waktu mengikuti kegiatan seminar
2. Kartu ini diisi kemudian diserahkan kepada moderator untuk diparat sebagai tanda bukti
3. Sebelum Mahasiswa membawakan seminar diharuskan mengikuti kegiatan seminar minimal 6 kali
4. Mahasiswa yang dapat mengikuti kegiatan seminar salah semester V kelas
5. Kartu ini sebagai salah satu syarat ujian skripsi

Kesimpulan,
Kartu Prodi Ilmu Komputer

Awaludin Abid, S.Kom., M.Kom.
NIDN: 0619129003



Lampiran 1. 3 Kode Program Admin Absensi

```
<?php

session_start();

include '../includes/db.php';

date_default_timezone_set('Asia/Jakarta');

// Pastikan admin sudah login

if (!isset($_SESSION['id_admin'])) {

    header("Location: ../index.php");

    exit();

}

$nama_admin = $_SESSION['nama'];

$page = isset($_GET['page']) ? $_GET['page'] : 'harian';

// --- FILTER TANGGAL HARIAN ---

$tanggal_harian = isset($_GET['tanggal_harian']) ? $_GET['tanggal_harian'] :
date('Y-m-d');

// --- FITUR FILTER: Bulan & Tahun ---

$filter_tahun = (isset($_GET['tahun']) && !empty($_GET['tahun'])) ?
$_GET['tahun'] : date('Y');

$filter_bulan = (isset($_GET['bulan']) && !empty($_GET['bulan'])) ?
$_GET['bulan'] : date('m');

$nama_bulan = [

    '01' => 'Januari', '02' => 'Februari', '03' => 'Maret', '04' => 'April',

    '05' => 'Mei', '06' => 'Juni', '07' => 'Juli', '08' => 'Agustus',

    '09' => 'September', '10' => 'Oktober', '11' => 'November', '12' => 'Desember'

];

// Meningkatkan limit GROUP_CONCAT agar data teks yang panjang tidak
terpotong

$conn->query("SET SESSION group_concat_max_len = 1000000");

if ($_SERVER['REQUEST_METHOD'] == 'POST' &&
isset($_POST['action_izin'])) {
```

```

$Id_izin = $_POST['id_izin'];

$action = $_POST['action_izin'];

$status_baru = ($action == 'approve') ? 'Approved' : 'Rejected';

$today = date('Y-m-d');

// 1. Update status di tabel izin dan set action_date

$stmt_update = $conn->prepare("UPDATE izin SET status_izin = ?,
action_date = ? WHERE id_izin = ?");

$stmt_update->bind_param("ssi", $status_baru, $today, $Id_izin)

if ($stmt_update->execute()) {

    // 2. Jika disetujui, masukkan ke tabel absensi otomatis

    if ($status_baru == 'Approved') {

        $stmt_get = $conn->prepare("SELECT id_karyawan, tanggal_mulai,
tanggal_akhir, tipe_izin, alasan FROM izin WHERE id_izin = ?");

        $stmt_get->bind_param("i", $Id_izin);

        $stmt_get->execute();

        $data_izin = $stmt_get->get_result()->fetch_assoc();

        if ($data_izin) {

            $begin = new DateTime($data_izin['tanggal_mulai']);

            $end = new DateTime($data_izin['tanggal_akhir']);

            $end->modify('+1 day');

            $interval = new DateInterval('P1D');

            $daterange = new DatePeriod($begin, $interval, $end);

            // Mapping tipe_izin ke status absensi

            $tipe = $data_izin['tipe_izin'];

            if ($tipe == 'Izin Sakit') {

                $status_absensi = 'Sakit';

            } elseif ($tipe == 'Cuti Tahunan') {

                $status_absensi = 'Cuti';

            }

        }

    }

}

```

```

    } else {
        $status_absensi = 'Izin';
        foreach ($daterange as $date) {
            $tgl = $date->format("Y-m-d");
            $id_kar = $data_izin['id_karyawan'];
            $sket = "Izin disetujui: " . $data_izin['alasan'];
            // Cek agar tidak duplikat

            $check = $conn->query("SELECT id_absensi FROM absensi
WHERE id_karyawan = '$id_kar' AND tanggal = '$tgl' AND jam_masuk IS NOT
NULL AND jam_masuk != '00:00:00'");

            $check_izin = $conn->query("SELECT id_absensi FROM absensi
WHERE id_karyawan = '$id_kar' AND tanggal = '$tgl' AND status IN
('Sakit','Izin','Cuti')");

            if ($check->num_rows == 0 && $check_izin->num_rows == 0) {
                $conn->query("INSERT INTO absensi (id_karyawan, tanggal,
status, aktivitas, capaian, jam_masuk, jam_pulang, id_izin)
VALUES ('$id_kar', '$tgl', '$status_absensi', '$sket',
'Terverifikasi Admin', '00:00:00', '00:00:00', '$id_izin')");

                $msg = "Status izin berhasil diperbarui.";
            } else {
                $msg = "Gagal memperbarui status.";
            }
        }

        if ($_SERVER['REQUEST_METHOD'] == 'POST' &&
isset($_POST['action_karyawan'])) {
            $action = $_POST['action_karyawan']

            if ($action == 'add') {
                $nama = $_POST['nama'];
                $email = $_POST['email'];
                $password = $_POST['password'];

                $stmt = $conn->prepare("INSERT INTO karyawan (nama, email, password)
VALUES (?, ?, ?)");
            }
        }
    }
}

```

```

$stmt->bind_param("sss", $nama, $email, $password);

if ($stmt->execute()) $msg = "Karyawan berhasil ditambahkan.";
else $msg = "Gagal menambahkan karyawan.";

} elseif ($action == 'edit') {
    $id_karyawan = $_POST['id_karyawan'];
    $nama = $_POST['nama'];
    $email = $_POST['email'];
    $password = $_POST['password'];

    $stmt = $conn->prepare("UPDATE karyawan SET nama = ?, email = ?,
password = ? WHERE id_karyawan = ?");

    $stmt->bind_param("sssi", $nama, $email, $password, $id_karyawan);
    if ($stmt->execute()) $msg = "Data karyawan berhasil diperbarui.";
    else $msg = "Gagal memperbarui data karyawan.";
} elseif ($action == 'delete') {
    $id_karyawan = $_POST['id_karyawan'];

    // Sebaiknya cek apakah ada data absensi/izin terkait sebelum hapus

    $conn->query("DELETE FROM absensi WHERE id_karyawan =
$id_karyawan");

    $conn->query("DELETE FROM izin WHERE id_karyawan =
$id_karyawan");

    $stmt = $conn->prepare("DELETE FROM karyawan WHERE id_karyawan
= ?");

    $stmt->bind_param("i", $id_karyawan);

    if ($stmt->execute()) $msg = "Karyawan berhasil dihapus.";
    else $msg = "Gagal menghapus karyawan.";

// --- DATA HARIAN (dengan filter tanggal) ---

$search_harian = isset($_GET['search_harian']) ? $_GET['search_harian'] : "";

$query_harian = "SELECT a.*, k.nama FROM absensi a JOIN karyawan k ON
a.id_karyawan = k.id_karyawan WHERE a.tanggal = '$tanggal_harian'";

```

```

if (!empty($search_harian)) {
    $search_harian_clean = $conn->real_escape_string($search_harian);
    $query_harian .= " AND k.nama LIKE '%$search_harian_clean%'";
}

$query_harian .= " ORDER BY k.nama ASC";
$result_harian = $conn->query($query_harian);

// --- DATA BULANAN (FIX S/I: hitung berdasarkan status) ---

$search_bulanan = isset($_GET['search_bulanan']) ? $_GET['search_bulanan'] : "";
$query_bulanan = "SELECT
    k.id_karyawan,
    k.nama,
    -- Hadir: jam_masuk ada isinya dan bukan 00:00:00 (bukan dari izin)
    SUM(CASE WHEN a.jam_masuk IS NOT NULL AND a.jam_masuk != ''
    AND a.jam_masuk != '00:00:00' THEN 1 ELSE 0 END) as hadir,
    -- S/I: berdasarkan status Sakit, Izin, Cuti (dari izin yang di-approve)
    SUM(CASE WHEN a.status IN ('Sakit','Izin','Cuti','Izin Sakit','Cuti
    Tahunan','Izin Umum') THEN 1 ELSE 0 END) as sakit_izin,
    -- Alpha: ada record tapi tidak hadir dan bukan izin
    SUM(CASE WHEN (a.jam_masuk IS NULL OR a.jam_masuk = '') AND
    a.status NOT IN ('Sakit','Izin','Cuti','Izin Sakit','Cuti Tahunan','Izin Umum') AND
    a.id_absensi IS NOT NULL THEN 1 ELSE 0 END) as alpha,
    COALESCE(SUM(a.denda), 0) as total_denda,
    GROUP_CONCAT(
        CONCAT(
            DATE_FORMAT(a.tanggal, '%d/%m'),
            '[T]',
            COALESCE(a.status, 'Masuk'),
            '[A]',
            COALESCE(REPLACE(a.aktivitas, '[', '(', '-'),

```

```

        '[C]',
        COALESCE(REPLACE(a.capaian, '[', '(', '-'),
        '[F]',
        COALESCE(a.foto_pulang, ")
    )
    ORDER BY a.tanggal ASC SEPARATOR '[SEP]'
) as log_aktivitas
FROM karyawan k
LEFT JOIN absensi a ON k.id_karyawan = a.id_karyawan
AND MONTH(a.tanggal) = '$filter_bulan'
AND YEAR(a.tanggal) = '$filter_tahun'
WHERE 1=1";
if (!empty($search_bulanan)) {
    $search_bulanan_clean = $conn->real_escape_string($search_bulanan);
    $query_bulanan .= " AND k.nama LIKE '%$search_bulanan_clean%'";
}

$query_bulanan .= " GROUP BY k.id_karyawan, k.nama ORDER BY k.nama
ASC";

$result_bulanan = $conn->query($query_bulanan);

// --- DATA PERIZINAN (PENDING + RIWAYAT HARI INI) ---
$today = date('Y-m-d');

$query_izin = "SELECT i.*, k.nama FROM izin i
    JOIN karyawan k ON i.id_karyawan = k.id_karyawan
    WHERE i.status_izin = 'Pending'
    OR (i.status_izin != 'Pending' AND i.action_date = '$today')
    ORDER BY i.status_izin DESC, i.id_izin DESC";

```

```

$result_izin = $conn->query($query_izin);

// Hitung jumlah pending untuk badge

$jumlah_pending_res = $conn->query("SELECT COUNT(*) as total FROM izin
WHERE status_izin = 'Pending'");

$jumlah_pending = $jumlah_pending_res->fetch_assoc()['total'];

// --- DATA KARYAWAN (CRUD) ---

$search_karyawan = isset($_GET['search_karyawan']) ?
$_GET['search_karyawan'] : "";

$query_karyawan = "SELECT * FROM karyawan WHERE 1=1";

if (!empty($search_karyawan)) {

    $search_karyawan_clean = $conn->real_escape_string($search_karyawan);

    $query_karyawan .= " AND (nama LIKE '%$search_karyawan_clean%' OR
email LIKE '%$search_karyawan_clean%')";

}

$query_karyawan .= " ORDER BY nama ASC";

$result_karyawan = $conn->query($query_karyawan);
?>

<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Admin Dashboard - KSPPS Harum</title>

    <script src="https://cdn.tailwindcss.com"></script>

    <link
href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;80
0;900&display=swap" rel="stylesheet">

    <style>

        body { font-family: 'Inter', sans-serif; }

```

```

.modal { display: none; position: fixed; z-index: 1000; left: 0; top: 0; width:
100%; height: 100%; background: rgba(0,0,0,0.6); backdrop-filter: blur(4px); }

.modal-content { background: #fff; margin: 3% auto; padding: 25px; border-
radius: 15px; width: 90%; max-width: 750px; animation: slideIn 0.3s ease; max-
height: 90vh; overflow-y: auto; }

@keyframes slideIn { from { transform: translateY(-30px); opacity: 0; } to {
transform: translateY(0); opacity: 1; } }

.log-scroll { max-height: 450px; overflow-y: auto; padding-right: 10px; }

</style>

</head>

<body class="bg-slate-50 flex min-h-screen font-sans">

  <!-- Sidebar -->

  <aside class="w-64 bg-white border-r border-slate-200 sticky top-0 h-screen
flex flex-col shadow-sm">

    <div class="p-8 text-center">

      <h2 class="text-2xl font-black text-emerald-600 tracking-
tighter">HARUM<span class="text-slate-400">ADMIN</span></h2>

    </div>

    <nav class="flex-1 px-4 space-y-1">

      <a href="?page=harian" class="flex items-center gap-3 px-4 py-3.5
rounded-xl transition-all <?php echo $page == 'harian' ? 'bg-emerald-600 text-
white shadow-lg shadow-emerald-200 font-bold' : 'text-slate-500 hover:bg-slate-
50'; ?>">

        📅 Harian

      </a>

      <a href="?page=bulanan" class="flex items-center gap-3 px-4 py-3.5
rounded-xl transition-all <?php echo $page == 'bulanan' ? 'bg-emerald-600 text-
white shadow-lg shadow-emerald-200 font-bold' : 'text-slate-500 hover:bg-slate-
50'; ?>">

        📊 Rekapitulasi

      </a>

```

```
<a href="?page=perizinan" class="flex items-center gap-3 px-4 py-3.5
rounded-xl transition-all <?php echo $page == 'perizinan' ? 'bg-emerald-600 text-
white shadow-lg shadow-emerald-200 font-bold' : 'text-slate-500 hover:bg-slate-
50'; ?>">
```

 Persetujuan Izin

```
<?php if($jumlah_pending > 0): ?>
```

```
<span class="ml-auto bg-rose-500 text-white text-[10px] px-2 py-0.5
rounded-full"><?php echo $jumlah_pending; ?></span>
```

```
<?php endif; ?>
```

```
</a>
```

```
<a href="?page=karyawan" class="flex items-center gap-3 px-4 py-3.5
rounded-xl transition-all <?php echo $page == 'karyawan' ? 'bg-emerald-600 text-
white shadow-lg shadow-emerald-200 font-bold' : 'text-slate-500 hover:bg-slate-
50'; ?>">
```

 Kelola Karyawan

```
</a>
```

```
</nav>
```

```
<div class="p-6 border-t border-slate-100">
```

```
<div class="text-xs text-slate-400 mb-3 text-center">Login: <b
class="text-slate-600"><?php echo htmlspecialchars($nama_admin);
?></b></div>
```

```
<a href="../logout.php" class="flex items-center justify-center gap-2 w-full
py-3.5 bg-rose-50 text-rose-600 font-bold rounded-xl hover:bg-rose-100
transition-colors">LOGOUT</a>
```

```
</div>
```

```
</aside>
```

```
<main class="flex-1 p-10">
```

```
<header class="mb-10 flex justify-between items-center">
```

```
<div>
```

```
<h1 class="text-3xl font-bold text-slate-800">
```

```
<?php
```

```

        if($page == 'harian') echo "Monitoring Harian";
        elseif($page == 'bulanan') echo "Rekapitulasi Bulanan";
        elseif($page == 'perizinan') echo "Persetujuan Izin";
        elseif($page == 'karyawan') echo "Manajemen Karyawan";

    ?>

</h1>

<p class="text-slate-400 mt-1">Selamat datang kembali,
Administrator.</p>

</div>

<?php if($page == 'karyawan'): ?>

    <button onclick="openKaryawanModal('add')" class="bg-emerald-600
    hover:bg-emerald-700 text-white px-6 py-3 rounded-xl font-bold text-sm shadow-
    lg shadow-emerald-200 transition-all">

        + Tambah Karyawan

    </button>

<?php else: ?>

    <div class="bg-white px-4 py-2 rounded-xl shadow-sm border border-
    slate-100">

        <span class="text-slate-400 text-sm">Tanggal Hari Ini:</span>

        <span class="font-bold text-slate-700 ml-1"><?php echo date('d M
        Y'); ?></span>

    </div>

<?php endif; ?>

</header>

<!-- Pesan Status -->

<?php if(isset($msg)): ?>

    <div class="mb-6 p-4 bg-emerald-100 text-emerald-700 rounded-xl border
    border-emerald-200 font-bold flex items-center gap-2">

        <svg xmlns="http://www.w3.org/2000/svg" class="h-5 w-5"
        viewBox="0 0 20 20" fill="currentColor">

```

```

        <path fill-rule="evenodd" d="M10 18a8 8 0 100-16 8 8 0 00
16zm3.707-9.293a1 1 0 00-1.414-1.414L9 10.586 7.707 9.293a1 1 0 00-1.414
1.414L2a1 1 0 001.414 0l4-4z" clip-rule="evenodd" />

    </svg>

    <?php echo $msg; ?>

</div>

<?php endif; ?>

<?php if(isset($msg)): ?>

    <div class="mb-6 bg-emerald-50 text-emerald-600 px-6 py-3 rounded-
xl border border-emerald-100 font-bold text-sm animate-pulse">

         <?php echo $msg; ?>

    </div>

<?php endif; ?>

<?php if ($page == 'harian'): ?>

    <!-- Konten Harian -->

    <div class="bg-white rounded-2xl shadow-sm border border-slate-100
overflow-hidden">

        <div class="p-6 border-b border-slate-50 flex flex-wrap items-center
justify-between gap-4">

            <h3 class="font-bold text-slate-800">Data Kehadiran</h3>

            <form method="GET" class="flex flex-wrap gap-2 items-center">

                <input type="hidden" name="page" value="harian">

                <!-- Date picker -->

                <label class="text-xs text-slate-400 font-bold">Tanggal:</label>

                <input type="date" name="tanggal_harian" value="<?php echo
$tanggal_harian; ?>"

                    onchange="this.form.submit()"

                    class="px-3 py-2 text-sm border border-slate-200 rounded-lg
outline-none focus:ring-2 focus:ring-emerald-500/20">

```

```
<input type="text" name="search_harian" placeholder="Cari
nama..." value="<?php echo htmlspecialchars($search_harian); ?>" class="px-4
py-2 text-sm border border-slate-200 rounded-lg outline-none focus:ring-2
focus:ring-emerald-500/20">
```

```
<button type="submit" class="bg-slate-800 text-white px-4 py-2
rounded-lg text-sm font-bold">Cari</button>
```

```
<button type="button" onclick="window.print()" class="bg-rose-
600 text-white px-4 py-2 rounded-lg text-sm font-bold hover:bg-rose-700
transition-all">
```

Cetak PDF

```
</button>
```

```
</form>
```

```
</div>
```

```
<!-- Tampilkan tanggal yang sedang dilihat -->
```

```
<div class="px-6 py-2 bg-slate-50 border-b text-xs text-slate-500">
```

```
📅 Menampilkan data: <b class="text-slate-700"><?php echo date('d
F Y', strtotime($tanggal_harian)); ?></b>
```

```
<?php if ($tanggal_harian != date('Y-m-d')): ?>
```

```
— <a href="?page=harian" class="text-emerald-600 font-bold
hover:underline">Kembali ke hari ini</a>
```

```
<?php endif; ?>
```

```
</div>
```

```
<div class="overflow-x-auto">
```

```
<table class="w-full text-left">
```

```
<thead class="bg-slate-50/50">
```

```
<tr>
```

```
<th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Karyawan</th>
```

```
<th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Aktivitas Utama</th>
```

```

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Capaian</th>

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase text-center">Status</th>

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase text-center">Detail</th>

    </tr>

</thead>

<tbody class="divide-y divide-slate-100">

    <?php if ($result_harian && $result_harian->num_rows > 0): ?>

    <?php while ($row = $result_harian->fetch_assoc()): ?>

    <tr class="hover:bg-slate-50/50 transition-colors">

        <td class="px-6 py-5">

            <div class="font-bold text-slate-700"><?php echo
htmlspecialchars($row['nama']); ?></div>

            <div class="text-[10px] text-slate-400 uppercase">

                <?php echo ($row['jam_masuk'] && $row['jam_masuk']
!= '00:00:00') ? $row['jam_masuk'] : '-'; ?> - <?php echo ($row['jam_pulang'] &&
$row['jam_pulang'] != '00:00:00') ? $row['jam_pulang'] : '-'; ?>

            </div>

            <?php if ($row['terlambat']): ?>

                <span class="text-[9px] text-red-500 font-bold">⚠
Terlambat | Denda: Rp <?php echo number_format($row['denda'], 0, ',', '.');
?></span>

            <?php endif; ?>

        </td>

        <td class="px-6 py-5 text-sm text-slate-600 max-w-xs
truncate"><?php echo $row['aktivitas'] ? : '-'; ?></td>

        <td class="px-6 py-5 text-sm text-emerald-600 font-semibold
max-w-xs truncate"><?php echo $row['capaian'] ? : '-'; ?></td>

        <td class="px-6 py-5 text-center">

```

```

<?php
$st = $row['status'];
$badge = 'bg-slate-100 text-slate-500';
if ($st == 'Hadir' || $st == 'Pulang') $badge = 'bg-emerald-
100 text-emerald-700';
elseif (in_array($st, ['Sakit','Izin','Cuti','Izin Sakit','Cuti
Tahunan','Izin Umum'])) $badge = 'bg-amber-100 text-amber-700';
?>
<span class="px-3 py-1 rounded-full text-[10px] font-black
uppercase <?php echo $badge; ?>">
<?php echo $st ? : '-'; ?>
</span>
</td>
<td class="px-6 py-5 text-center">
<button onclick="viewDailyDetail(
'<?php echo addslashes($row['nama']); ?>',
'<?php echo addslashes($row['aktivitas']); ?>',
'<?php echo addslashes($row['capaian']); ?>',
'<?php echo $row['foto_masuk']; ?>',
'<?php echo $row['foto_pulang']; ?>',
'<?php echo $row['jam_masuk']; ?>',
'<?php echo $row['jam_pulang']; ?>',
'<?php echo addslashes($row['alasan_terlambat']); ?>',
'<?php echo $row['denda']; ?>'
)" class="bg-slate-100 hover:bg-slate-200 text-slate-600 px-
3 py-1.5 rounded-lg text-[10px] font-bold uppercase transition-colors">
Lihat Log
</button>
</td>

```

```

</tr>

<?php endwhile; ?>

<?php else: ?>

<tr>

    <td colspan="5" class="px-6 py-20 text-center">

        <div class="text-slate-300 mb-2 font-bold uppercase
tracking-widest">Kosong</div>

        <div class="text-slate-400 text-sm italic">Tidak ada data
absensi untuk tanggal ini.</div>

    </td>

</tr>

<?php endif; ?>

</tbody>
</table>
</div>
</div>

<?php elseif ($page == 'bulanan'): ?>

    <!-- Konten Rekapitulasi -->

    <div class="bg-white rounded-2xl shadow-sm border border-slate-100
overflow-hidden">

        <div class="p-6 border-b border-slate-50">

            <h3 class="font-bold text-slate-800 mb-4">Data Rekapitulasi
Bulanan</h3>

            <form method="GET" class="flex flex-wrap items-center gap-3">

                <input type="hidden" name="page" value="bulanan">

                <div class="flex-1 min-w-[250px]">

                    <input type="text" name="search_bulanan" placeholder="Cari
nama karyawan..."

```

```

        value="<?php echo htmlspecialchars($search_bulanan);
?>"

        class="w-full px-4 py-2 text-sm border border-slate-200
rounded-lg outline-none focus:ring-2 focus:ring-emerald-500/20">

</div>

<select name="tahun" onchange="this.form.submit()"

        class="px-4 py-2 text-sm border border-slate-200 rounded-lg
bg-white font-bold text-slate-700 outline-none">

        <option value="">-- Pilih Tahun --</option>

        <option value="2024" <?php echo ($filter_tahun == '2024') ?
'selected' : ''; ?>>2024</option>

        <option value="2025" <?php echo ($filter_tahun == '2025') ?
'selected' : ''; ?>>2025</option>

        <option value="2026" <?php echo ($filter_tahun == '2026') ?
'selected' : ''; ?>>2026</option>

</select>

<?php if (!empty($filter_tahun)): ?>

        <select name="bulan" class="px-4 py-2 text-sm border border-
slate-200 rounded-lg bg-white outline-none focus:ring-2 focus:ring-emerald-
500/20">

                <?php foreach($nama_bulan as $m => $nm): ?>

                        <option value="<?php echo $m; ?>" <?php echo
$filter_bulan == $m ? 'selected' : ''; ?>>

                                <?php echo $nm; ?>

                        </option>

                <?php endforeach; ?>

        </select>

        <button type="submit" class="bg-emerald-600 text-white px-6
py-2 rounded-lg text-sm font-bold hover:bg-emerald-700 transition-all">

                Filter Data

        </button>

```

```

<?php endif; ?>

<a href="export_excel.php?bulan=<?php echo $filter_bulan;
?>&tahun=<?php echo $filter_tahun; ?>"
class="bg-blue-600 text-white px-4 py-2 rounded-lg text-sm
font-bold hover:bg-blue-700 transition-all flex items-center justify-center">
    Export Excel
</a>
</form>
</div>
<!-- Info bulan yang ditampilkan -->
<div class="px-6 py-2 bg-slate-50 border-b text-xs text-slate-500">
     Menampilkan data: <b class="text-slate-700"><?php echo
$nama_bulan[$filter_bulan] . ' ' . $filter_tahun; ?></b>
</div>
<div class="overflow-x-auto">
    <table class="w-full text-left">
        <thead class="bg-slate-50/50">
            <tr>
                <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Karyawan</th>
                <th class="px-4 py-4 text-center text-[11px] font-bold text-
slate-400 uppercase">H</th>
                <th class="px-4 py-4 text-center text-[11px] font-bold text-
slate-400 uppercase">S/I</th>
                <th class="px-4 py-4 text-center text-[11px] font-bold text-
slate-400 uppercase">A</th>
                <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Detail</th>
                <th class="px-6 py-4 text-right text-[11px] font-bold text-
slate-400 uppercase">Denda</th>

```

```

        </tr>

    </thead>

    <tbody class="divide-y divide-slate-100">

        <?php while ($row = $result_bulanan->fetch_assoc()): ?>

            <tr class="hover:bg-slate-50/50">

                <td class="px-6 py-5 font-bold text-slate-700"><?php echo
                htmlspecialchars($row['nama']); ?></td>

                <td class="px-4 py-5 text-center text-emerald-600 font-black"><?php echo
                $row['hadir']; ?></td>

                <td class="px-4 py-5 text-center text-amber-500 font-bold">

                    <?php echo $row['sakit_izin']; ?>

                </td>

                <td class="px-4 py-5 text-center text-rose-500 font-black"><?php echo
                $row['alpha']; ?></td>

                <td class="px-6 py-5">

                    <button onclick="viewActivity('<?php echo addslashes($row['nama']); ?>',
                    '<?php echo base64_encode($row['log_aktivitas']); ?>')" class="bg-slate-100
                    hover:bg-slate-200 text-slate-600 px-3 py-1.5 rounded-lg text-[10px] font-bold
                    uppercase transition-colors">Lihat Log</button>

                </td>

                <td class="px-6 py-5 text-right font-black text-rose-600">Rp <?php echo
                number_format($row['total_denda'], 0, ',', '.'); ?></td>

            </tr>

        <?php endwhile; ?>

    </tbody>

</table>

</div>

</div>

<?php elseif ($page == 'perizinan'): ?>

    <!-- KONTEN PERIZINAN -->

```

```

<div class="bg-white rounded-2xl shadow-sm border border-slate-100
overflow-hidden">

    <div class="p-6 border-b border-slate-50">

        <h3 class="font-bold text-slate-800">Menunggu Persetujuan</h3>

    </div>

    <div class="overflow-x-auto">

        <table class="w-full text-left">

            <thead class="bg-slate-50/50">

                <tr>

                    <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Karyawan</th>

                    <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Jenis</th>

                    <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Periode</th>

                    <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Alasan</th>

                    <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase text-center">Aksi</th>

                </tr>

            </thead>

            <tbody class="divide-y divide-slate-100">

                <?php

                    // Re-query because the result pointer was used above for
counting

                    $result_izin2 = $conn->query($query_izin);

                    if ($result_izin2 && $result_izin2->num_rows > 0): ?>

                        <?php while ($izin = $result_izin2->fetch_assoc()): ?>

                            <tr class="hover:bg-slate-50/50 transition-colors">

```

```

<td class="px-6 py-5 font-bold text-slate-700"><?php echo
htmlspecialchars($izin['nama']); ?></td>

<td class="px-6 py-5">

    <span class="px-2 py-1 rounded bg-amber-50 text-
    amber-600 border border-amber-100 text-[10px] font-black uppercase">

        <?php echo $izin['tipe_izin']; ?>

    </span>

</td>

<td class="px-6 py-5 text-sm text-slate-500 whitespace-
nowrap">

    <?php echo date('d/m/y',
    strtotime($izin['tanggal_mulai'])); ?> - <?php echo date('d/m/y',
    strtotime($izin['tanggal_akhir'])); ?>

</td>

<td class="px-6 py-5 text-sm text-slate-600 italic">

    "<?php echo htmlspecialchars($izin['alasan']); ?>"

</td>

<td class="px-6 py-5">

    <div class="flex justify-center gap-2">

        <?php if ($izin['status_izin'] == 'Pending'): ?>

            <form method="POST" onsubmit="return
            confirm('Apakah Anda yakin menyetujui izin ini?')">

                <input type="hidden" name="id_izin"
                value="<?php echo $izin['id_izin']; ?>">

                <button type="submit" name="action_izin"
                value="approve" class="bg-emerald-600 hover:bg-emerald-700 text-white px-4
                py-2 rounded-lg text-[10px] font-bold uppercase transition-all shadow-sm
                shadow-emerald-100">Setujui</button>

            </form>

            <form method="POST" onsubmit="return
            confirm('Apakah Anda yakin menolak izin ini?')">

```

```

        <input type="hidden" name="id_izin"
value="<?php echo $izin['id_izin']; ?>">

        <button type="submit" name="action_izin"
value="reject" class="bg-white border border-rose-200 text-rose-500 hover:bg-
rose-50 px-4 py-2 rounded-lg text-[10px] font-bold uppercase transition-
all">Tolak</button>

    </form>

    <?php else: ?>

    <?php

    $st_izin = $izin['status_izin'];

    $badge_izin = ($st_izin == 'Approved') ? 'bg-
emerald-100 text-emerald-700' : 'bg-rose-100 text-rose-700';

    ?>
    <span class="px-4 py-2 rounded-lg text-[10px] font-
black uppercase <?php echo $badge_izin; ?>">

        <?php echo $st_izin; ?>

    </span>

    <?php endif; ?>

</div>

</td>

</tr>

<?php endwhile; ?>

<?php else: ?>

<tr>

    <td colspan="5" class="px-6 py-20 text-center">

        <div class="text-slate-300 mb-2 font-bold uppercase
tracking-widest">Kosong</div>

        <div class="text-slate-400 text-sm italic">Belum ada
pengajuan izin baru yang perlu diverifikasi.</div>

    </td>

```

```

        </tr>

        <?php endif; ?>

    </tbody>

</table>

</div>

</div>

<?php elseif ($page == 'karyawan'): ?>

    <!-- KONTEN KARYAWAN -->

    <div class="bg-white rounded-2xl shadow-sm border border-slate-100
overflow-hidden">

        <div class="p-6 border-b border-slate-50 flex justify-between items-
center">

            <h3 class="font-bold text-slate-800 uppercase tracking-wider text-
sm">Daftar Karyawan Aktif</h3>

            <form method="GET" class="flex gap-2">

                <input type="hidden" name="page" value="karyawan">

                <input type="text" name="search_karyawan" placeholder="Cari
karyawan..."

                    value="<?php echo htmlspecialchars($search_karyawan); ?>"

                    class="px-4 py-2 text-sm border border-slate-200 rounded-lg
outline-none focus:ring-2 focus:ring-emerald-500/20">

                <button type="submit" class="bg-slate-800 text-white px-4 py-2
rounded-lg text-sm font-bold">Cari</button>

            </form>

        </div>

        <div class="overflow-x-auto">

            <table class="w-full text-left">

                <thead class="bg-slate-50/50">

                    <tr>

```

```

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">ID</th>

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Nama Lengkap</th>

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Email</th>

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase">Password</th>

        <th class="px-6 py-4 text-[11px] font-bold text-slate-400
uppercase text-center">Aksi</th>

    </tr>
</thead>
<tbody class="divide-y divide-slate-100">
    <?php if ($result_karyawan && $result_karyawan->num_rows
> 0): ?>

        <?php while ($kar = $result_karyawan->fetch_assoc()): ?>
            <tr class="hover:bg-slate-50/50 transition-colors">
                <td class="px-6 py-5 text-sm text-slate-400">#<?php echo
$kar['id_karyawan']; ?></td>
                <td class="px-6 py-5 font-bold text-slate-700"><?php echo
htmlspecialchars($kar['nama']); ?></td>
                <td class="px-6 py-5 text-sm text-slate-600"><?php echo
htmlspecialchars($kar['email']); ?></td>
                <td class="px-6 py-5 text-sm text-slate-300 italic"><?php
echo htmlspecialchars($kar['password']); ?></td>
                <td class="px-6 py-5">
                    <div class="flex justify-center gap-2">
                        <button onclick="openKaryawanModal('edit', <?php
echo htmlspecialchars(json_encode($kar)); ?>)"
                            class="bg-blue-50 text-blue-600 hover:bg-blue-
600 hover:text-white px-3 py-1.5 rounded-lg text-[10px] font-bold uppercase
transition-all">

```

```

        Edit

    </button>

    <form method="POST" onsubmit="return
confirm('Menghapus karyawan juga akan menghapus SEMUA data absensi dan
izin mereka. Lanjutkan?')">

        <input type="hidden" name="id_karyawan"
value="<?php echo $kar['id_karyawan']; ?>">

        <input type="hidden" name="action_karyawan"
value="delete">

        <button type="submit" class="bg-rose-50 text-rose-
600 hover:bg-rose-600 hover:text-white px-3 py-1.5 rounded-lg text-[10px] font-
bold uppercase transition-all">

            Hapus
        </button>
    </form>
</div>
</td>
</tr>
<?php endwhile; ?>
<?php else: ?>
<tr>
    <td colspan="5" class="px-6 py-20 text-center text-slate-
400 italic">Data tidak ditemukan.</td>

</tr>

<?php endif; ?>
</tbody>
</table>
</div>
</div>
<?php endif; ?>

```

```

</main>

<!-- Modal CRUD Karyawan -->

<div id="karyawanModal" class="modal">

  <div class="modal-content shadow-2xl max-w-md">

    <div class="flex justify-between items-center mb-6 border-b border-slate-
100 pb-4">

      <div>

        <h3 id="karyawanModalTitle" class="font-bold text-xl text-slate-
800">Tambah Karyawan</h3>

        <p class="text-xs text-slate-400">Input data karyawan baru ke
sistem</p>

      </div>

      <button class="bg-slate-50 text-slate-400 hover:text-rose-500 w-10 h-10
rounded-full flex items-center justify-center transition-colors"
onclick="closeKaryawanModal()">&times;</button>

    </div>

    <form method="POST" class="space-y-4">

      <input type="hidden" name="action_karyawan" id="karyawanAction"
value="add">

      <input type="hidden" name="id_karyawan" id="karyawanId">

      <div>

        <label class="block text-[10px] font-black text-slate-400 uppercase
mb-2">Nama Lengkap</label>

        <input type="text" name="nama" id="karyawanNama" required

          class="w-full px-4 py-3 bg-slate-50 border border-slate-100
rounded-xl outline-none focus:ring-2 focus:ring-emerald-500/20 text-sm font-
medium">

      </div>

      <div>

```

```
<label class="block text-[10px] font-black text-slate-400 uppercase
mb-2">Email Login</label>
```

```
<input type="email" name="email" id="karyawanEmail" required
class="w-full px-4 py-3 bg-slate-50 border border-slate-100
rounded-xl outline-none focus:ring-2 focus:ring-emerald-500/20 text-sm font-
medium">
```

```
</div>
```

```
<div>
```

```
<label class="block text-[10px] font-black text-slate-400 uppercase
mb-2">Password</label>
```

```
<input type="text" name="password" id="karyawanPassword"
required
```

```
class="w-full px-4 py-3 bg-slate-50 border border-slate-100
rounded-xl outline-none focus:ring-2 focus:ring-emerald-500/20 text-sm font-
medium">
```

```
</div>
```

```
<button type="submit" id="karyawanSubmitBtn" class="w-full py-4
bg-emerald-600 hover:bg-emerald-700 text-white font-bold rounded-xl shadow-lg
shadow-emerald-200 transition-all uppercase tracking-widest text-xs mt-4">
```

Simpan Data

```
</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<!-- Modal Detail Harian -->
```

```
<div id="dailyModal" class="modal">
```

```
<div class="modal-content shadow-2xl">
```

```
<div class="flex justify-between items-center mb-6 border-b border-slate-
100 pb-4">
```

```
<div>
```

```
<h3 id="dailyModalTitle" class="font-bold text-xl text-slate-
800">Detail Absensi</h3>
```

```

        <p class="text-xs text-slate-400">Log harian beserta bukti foto</p>

        </div>

        <button class="bg-slate-50 text-slate-400 hover:text-rose-500 w-10 h-10
rounded-full flex items-center justify-center transition-colors"
onclick="closeDailyModal()">&times;</button>

        </div>

        <div id="dailyModalContent" class="space-y-4"></div>

    </div>

</div>

<!-- Modal Detail Aktivitas Bulanan -->

<div id="globalModal" class="modal">
    <div class="modal-content shadow-2xl">
        <div class="flex justify-between items-center mb-6 border-b border-slate-
100 pb-4">
            <div>
                <h3 id="modalTitle" class="font-bold text-xl text-slate-800">Detail
Aktivitas</h3>
                <p class="text-xs text-slate-400">Log harian kinerja karyawan dalam
sebulan</p>
            </div>
            <button class="bg-slate-50 text-slate-400 hover:text-rose-500 w-10 h-10
rounded-full flex items-center justify-center transition-colors"
onclick="closeModal()">&times;</button>
        </div>

        <div id="modalList" class="log-scroll space-y-4"></div>

    </div>

</div>

<script>

// --- Daily Detail Modal ---

const dailyModal = document.getElementById('dailyModal')

```

```

function viewDailyDetail(nama, aktivitas, capaian, fotoMasuk, fotoPulang,
jamMasuk, jamPulang, alasanTerlambat, denda) {

    document.getElementById('dailyModalTitle').innerText = 'Detail: ' +
nama;

    const content = document.getElementById('dailyModalContent');

    let html = "";

    // Info waktu

    html += `<div class="grid grid-cols-2 gap-4">

        <div class="p-4 bg-emerald-50 rounded-xl border border-emerald-
100">

            <label class="block text-[9px] font-black text-emerald-600 uppercase
mb-1">Jam Masuk</label>

            <p class="text-lg font-bold text-emerald-800">${jamMasuk &&
jamMasuk != '00:00:00' ? jamMasuk : '-'}</p>

        </div>

        <div class="p-4 bg-blue-50 rounded-xl border border-blue-100">

            <label class="block text-[9px] font-black text-blue-600 uppercase
mb-1">Jam Pulang</label>

            <p class="text-lg font-bold text-blue-800">${jamPulang &&
jamPulang != '00:00:00' ? jamPulang : '-'}</p>

        </div>

    </div>`;

    // Alasan terlambat

    if (alasanTerlambat) {

        html += `<div class="p-4 bg-red-50 rounded-xl border border-red-
100">

            <label class="block text-[9px] font-black text-red-600 uppercase mb-
1">⚠ Alasan Terlambat (Denda: Rp ${parseInt(denda).toLocaleString('id-
ID')})</label>

            <p class="text-sm text-red-800 font-
medium">${alasanTerlambat}</p>

```

```

</div>`;

// Aktivitas & Capaian

html += `<div class="p-4 bg-white rounded-xl border border-slate-200">

  <label class="block text-[9px] font-black text-slate-400 uppercase mb-1">Rencana Aktivitas</label>

  <p class="text-sm text-slate-700 font-medium">${aktivitas || '-'}</p>

</div>`;

html += `<div class="p-4 bg-emerald-50 rounded-xl border border-emerald-100">

  <label class="block text-[9px] font-black text-emerald-600 uppercase mb-1">Capaian</label>

  <p class="text-sm text-emerald-800 font-bold">${capaian || '-'}</p>

</div>`;

// Foto

html += `<div class="grid grid-cols-2 gap-4">`;

if (fotoMasuk && fotoMasuk !== 'null' && fotoMasuk !== "") {

  html += `<div class="text-center">

    <label class="block text-[9px] font-black text-slate-400 uppercase mb-2">📷 Foto Masuk</label>

  </div>`;

} else {

  html += `<div class="text-center p-8 bg-slate-50 rounded-xl border border-dashed border-slate-200">

    <p class="text-slate-300 text-xs">Tidak ada foto masuk</p>

  </div>`;

}

if (fotoPulang && fotoPulang !== 'null' && fotoPulang !== "") {

```

```

html += `<div class="text-center">

    <label class="block text-[9px] font-black text-slate-400 uppercase
mb-2"> 📷 Foto Pulang</label>

    </div>`;

} else {

    html += `<div class="text-center p-8 bg-slate-50 rounded-xl border
border-dashed border-slate-200">

        <p class="text-slate-300 text-xs">Tidak ada foto pulang</p>

    </div>`;

}

html += `</div>`;
content.innerHTML = html;
dailyModal.style.display = "block";
}

function closeDailyModal() { dailyModal.style.display = "none"; }

// --- Karyawan CRUD Modal ---

const karyawanModal = document.getElementById('karyawanModal');

function openKaryawanModal(type, data = null) {

    const title = document.getElementById('karyawanModalTitle');
    const action = document.getElementById('karyawanAction');
    const idField = document.getElementById('karyawanId');
    const namaField = document.getElementById('karyawanNama');
    const emailField = document.getElementById('karyawanEmail');
    const passField = document.getElementById('karyawanPassword');
    const submitBtn = document.getElementById('karyawanSubmitBtn')

    if (type === 'edit' && data) {

```

```

        title.innerText = 'Edit Karyawan';
        action.value = 'edit';
        idField.value = data.id_karyawan;
        namaField.value = data.nama;
        emailField.value = data.email;
        passField.value = data.password;
        submitBtn.innerText = 'Simpan Perubahan';
    } else {
        title.innerText = 'Tambah Karyawan';
        action.value = 'add';
        idField.value = "";
        namaField.value = "";
        emailField.value = "";
        passField.value = "";
        submitBtn.innerText = 'Simpan Data';
    }
    karyawanModal.style.display = "block";
}

function closeKaryawanModal() { karyawanModal.style.display = "none";
// --- Monthly Activity Log Modal ---
const modal = document.getElementById('globalModal');
const mTitle = document.getElementById('modalTitle');
const mList = document.getElementById('modalList')
function viewActivity(nama, logBase64) {
    const logRaw = atob(logBase64);
    mTitle.innerText = "Log: " + nama;
    mList.innerHTML = "";

```

```

if (!logRaw || logRaw.trim() === "") {
    mList.innerHTML = '<div class="text-center text-slate-400 italic py-8">Tidak ada data aktivitas.</div>';
    modal.style.display = "block";
    return;
}

const entries = logRaw.split('[SEP]');
entries.forEach(entry => {
    if(!entry.trim()) return;
    const parts = entry.split('[T]');
    const date = parts[0] || "";
    const restT = parts[1] || "";
    const [status, restA] = restT.split('[A]');
    const restAparts = (restA || "").split('[C]');
    const aktivitas = restAparts[0] || '-';
    const restC = restAparts[1] || "";
    const [capaian, fotoPulang] = restC.split('[F]');
    const item = document.createElement('div');

    item.className = "p-5 bg-slate-50 rounded-2xl border border-slate-100
hover:border-emerald-200 transition-colors";

    let fotoHtml = "";

    if (fotoPulang && fotoPulang.trim() !== "") {
        fotoHtml = `<div class="mt-3">
            <label class="block text-[9px] font-black text-blue-500 uppercase
mb-1"> 📷 Foto Bukti</label>
            
        </div>`;
    }

```

```

    }

    let statusClass = 'text-emerald-600';

    if (['Sakit','Izin','Cuti','Izin Sakit','Cuti Tahunan','Izin
Umum'].includes(status)) {

        statusClass = 'text-amber-500';

    }

    item.innerHTML = `

        <div class="flex justify-between items-center mb-3">

            <span class="bg-slate-800 text-white text-[10px] px-3 py-1
rounded-full font-bold tracking-tighter">${date}</span>

            <span class="text-[10px] font-black uppercase
${statusClass}">${status || '-'}</span>

        </div>

        <div class="space-y-3">

            <div class="p-4 bg-white rounded-xl border border-slate-50
shadow-sm">

                <label class="block text-[9px] font-black text-slate-300
uppercase mb-1">Aktivitas</label>

                <p class="text-sm text-slate-600 leading-relaxed font-
medium">${aktivitas}</p>

            </div>

            <div class="p-4 bg-emerald-50 rounded-xl border border-emerald-
100">

                <label class="block text-[9px] font-black text-emerald-600
uppercase mb-1">Capaian</label>

                <p class="text-sm text-emerald-800 font-bold leading-
relaxed">${capaian || '-'}</p>

            </div>

            ${fotoHtml}

        </div>

    `;

```

```


        mList.appendChild(item);

    });

    modal.style.display = "block";
}

function closeModal() { modal.style.display = "none";
// Close modals on overlay click
window.onclick = function(e) {
    if (e.target == modal) closeModal();
    if (e.target == dailyModal) closeDailyModal();
    if (e.target == karyawanModal) closeKaryawanModal();
}
</script>
</body>
</html>

```



Lampiran 1. 4 Kode Program User Proses Absensi

```
<?php
session_start();
include 'includes/db.php';
date_default_timezone_set('Asia/Jakarta');
// Pastikan user sudah login — redirect jika belum
if (!isset($_SESSION['id_karyawan'])) {
    header("Location: index.php");
    exit();
}
$id_karyawan = $_SESSION['id_karyawan'];
$nama_karyawan = $_SESSION['nama'];
$message = "";
$message_type = ""; // 'success' or 'error'
$current_view = isset($_GET['view']) ? $_GET['view'] : 'absensi';
$today = date('Y-m-d');
$now = date('H:i:s');
// Cek apakah karyawan sudah absen hari ini
$query_cek = "SELECT * FROM absensi WHERE id_karyawan =
'id_karyawan' AND tanggal = '$today' AND jam_masuk IS NOT NULL AND
jam_masuk != '00:00:00' LIMIT 1";
$result_cek = mysqli_query($conn, $query_cek);
$data_absensi = mysqli_fetch_assoc($result_cek);
// Ambil denda dari database jika sudah absen
$total_denda_db = 0;
if ($data_absensi) {
    $total_denda_db = $data_absensi['denda'];
}
// 5. QUERY RINGKASAN BULANAN (Hanya bulan berjalan)
$total_hadir = 0;
```

```

$total_sakit = 0;

$total_izin = 0;

$total_alpa = 0;

$total_denda_bulanan = 0;

$riwayat_denda = [];

$bulan_sekarang = date('m');

$tahun_sekarang = date('Y');

$sql_rekap = "SELECT tanggal, status, denda, jam_masuk, jam_pulang FROM
absensi

        WHERE id_karyawan = '$id_karyawan'

        AND MONTH(tanggal) = '$bulan_sekarang'

        AND YEAR(tanggal) = '$tahun_sekarang'

        ORDER BY tanggal DESC";

$res_rekap = mysqli_query($conn, $sql_rekap);

$riwayat_bulanan = [];

while ($row = mysqli_fetch_assoc($res_rekap)) {

    if ($row['status'] == 'Hadir' || $row['status'] == 'Pulang') $total_hadir++;

    elseif (in_array($row['status'], ['Sakit', 'Izin Sakit'])) $total_sakit++;

    elseif (in_array($row['status'], ['Izin', 'Izin Umum', 'Cuti', 'Cuti Tahunan']))
$total_izin++;

    elseif ($row['status'] == 'Alpa') $total_alpa++

    if ($row['denda'] > 0) {

        $total_denda_bulanan += $row['denda'];

        $riwayat_bulanan[] = [

            'tanggal' => date('d/m', strtotime($row['tanggal'])),

            'masuk' => ($row['jam_masuk'] && $row['jam_masuk'] != '00:00:00') ?
$row['jam_masuk'] : '-',

            'pulang' => ($row['jam_pulang'] && $row['jam_pulang'] != '00:00:00') ?
$row['jam_pulang'] : '-',

```

```

        'status' => $row['status'],
        'denda' => $row['denda']
    // Query riwayat izin

$query_riwayat_izin = "SELECT * FROM izin WHERE id_karyawan =
'Sid_karyawan' ORDER BY id_izin DESC";

$result_riwayat_izin = mysqli_query($conn, $query_riwayat_izin);

// Konfigurasi Aturan

$jam_masuk_normal = "07:30:00";
$jam_pulang_normal = "16:00:00";
$denda_per_menit = 500;
$terlambat = false;
$menit_terlambat = 0;
$total_denda = 0;
if ($now > $jam_masuk_normal) {
    $terlambat = true;
    $awal = strtotime($jam_masuk_normal);
    $akhir = strtotime($now);
    $diff = $akhir - $awal;
    $menit_terlambat = floor($diff / 60);
    $total_denda = $menit_terlambat * $denda_per_menit;
}

// Jika sudah absen, tampilkan denda dari database
if ($data_absensi) {
    $total_denda = $total_denda_db;
}

// Cek apakah sudah pulang
$sudah_pulang = false;
if ($data_absensi && !empty($data_absensi['jam_pulang']) &&
$data_absensi['jam_pulang'] != '00:00:00') {
    $sudah_pulang = true;
}

```

```

if ($_SERVER['REQUEST_METHOD'] == 'POST' &&
isset($_SERVER['HTTP_X_REQUESTED_WITH']) &&
$_SERVER['HTTP_X_REQUESTED_WITH'] === 'XMLHttpRequest') {

    header('Content-Type: application/json');

    $tgl_sekarang = date('Y-m-d');

    $jam_sekarang = date('H:i:s');

    if (isset($_POST['absen_masuk'])) {

        $rencana = mysqli_real_escape_string($conn, $_POST['rencana_aktivitas']);

        $alasan_telat = isset($_POST['alasan_terlambat']) ?
mysqli_real_escape_string($conn, $_POST['alasan_terlambat']) : ""

        // Proses upload foto masuk

        $foto_masuk_name = "";

        if (isset($_FILES['foto_masuk']) && $_FILES['foto_masuk']['error'] == 0) {

            $target_dir = "assets/uploads/masuk/";

            if (!is_dir($target_dir)) {

                mkdir($target_dir, 0777, true);

                $file_extension = pathinfo($_FILES["foto_masuk"]["name"],
PATHINFO_EXTENSION);

                $new_filename = $id_karyawan . "_" . date('Ymd_His') . "." .
$file_extension;

                $target_file = $target_dir . $new_filename;

                if (move_uploaded_file($_FILES["foto_masuk"]["tmp_name"],
$target_file)) {

                    $foto_masuk_name = $new_filename;

                }

            }

            // Hitung denda saat ini

            $denda_hitung = 0;

            if ($jam_sekarang > $jam_masuk_normal) {

                $awal_h = strtotime($jam_masuk_normal);

                $akhir_h = strtotime($jam_sekarang);

```

```

$diff_h = $akhir_h - $awal_h;

$menit_h = floor($diff_h / 60);

$denda_hitung = $menit_h * $denda_per_menit;

$sql_masuk = "INSERT INTO absensi (id_karyawan, tanggal, jam_masuk,
aktivitas, alasan_terlambat, denda, status, terlambat, foto_masuk)

VALUES ('$id_karyawan', '$tgl_sekarang', '$jam_sekarang', '$rencana',
'$alasan_telat', '$denda_hitung', 'Hadir', " . ($jam_sekarang > $jam_masuk_normal
? 1 : 0) . ", '$foto_masuk_name')";

if (mysqli_query($conn, $sql_masuk)) {

    echo json_encode(['success' => true, 'message' => 'Absen masuk
berhasil!']);

} else {

    echo json_encode(['success' => false, 'message' => 'Gagal menyimpan: ' .
mysqli_error($conn)]);

} elseif (isset($_POST['absen_pulang'])) {

    $capaian = mysqli_real_escape_string($conn, $_POST['capaian_aktivitas']);

    // Proses upload foto pulang

    $foto_pulang_name = "";

    if (isset($_FILES['foto_pulang']) && $_FILES['foto_pulang']['error'] == 0) {

        $target_dir = "assets/uploads/pulang/";

        if (!is_dir($target_dir)) {

            mkdir($target_dir, 0777, true);

            $file_extension = pathinfo($_FILES["foto_pulang"]["name"],
PATHINFO_EXTENSION);

            $new_filename = $id_karyawan . "_" . date('Ymd_His') . "." .
$file_extension;

            $target_file = $target_dir . $new_filename;

            if (move_uploaded_file($_FILES["foto_pulang"]["tmp_name"],
$target_file)) {

                $foto_pulang_name = $new_filename;

```

```

    $sql_pulang = "UPDATE absensi SET jam_pulang = '$jam_sekarang',
    capaian = '$capaian', foto_pulang = '$foto_pulang_name'

    WHERE id_karyawan = '$id_karyawan' AND tanggal =
    '$tgl_sekarang' AND jam_masuk IS NOT NULL AND jam_masuk !=
    '00:00:00'";

    if (mysqli_query($conn, $sql_pulang)) {

        echo json_encode(['success' => true, 'message' => 'Absen pulang berhasil!
        Selamat beristirahat.']);

    } else {

        echo json_encode(['success' => false, 'message' => 'Gagal menyimpan: ' .
        mysqli_error($conn)]);

<!DOCTYPE html>

<html lang="id">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Absensi Karyawan - KSPPS Harapan Umat</title>

    <script src="https://cdn.tailwindcss.com"></script>

    <link
    href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;700;800&di
    splay=swap" rel="stylesheet">

    <style>

        body {

            font-family: 'Inter', sans-serif;

            background-color: #1a9e52;

            .disabled-btn {

                background-color: #d1d5db !important;

                cursor: not-allowed !important;

                transform: none !important;

                box-shadow: none !important;

```

```
/* Modal overlay */
.modal-overlay {
    display: none;
    position: fixed;
    z-index: 9999;
    left: 0; top: 0;
    width: 100%; height: 100%;
    background: rgba(0,0,0,0.5);
    backdrop-filter: blur(4px);
    justify-content: center;
    align-items: center;
    .modal-overlay.active {
        display: flex;
    }
    .modal-box {
        background: white;
        border-radius: 20px;
        padding: 40px;
        max-width: 400px;
        width: 90%;
        text-align: center;
        animation: popIn 0.3s ease;
        box-shadow: 0 25px 60px rgba(0,0,0,0.3);
    }
    @keyframes popIn {
        from { transform: scale(0.8); opacity: 0; }
        to { transform: scale(1); opacity: 1; }
    }
    .modal-icon {
        width: 80px; height: 80px;
```

```

border-radius: 50%;

display: flex;

align-items: center;

justify-content: center;

margin: 0 auto 20px;

font-size: 40px;

.modal-icon.success { background: #d1fae5; color: #059669; }

.modal-icon.error { background: #fee2e2; color: #dc2626; }

/* Loading spinner */

.spinner {

border: 3px solid #f3f3f3;

border-top: 3px solid #059669;

border-radius: 50%;

width: 20px; height: 20px;

animation: spin 0.8s linear infinite;

display: inline-block;

vertical-align: middle;

margin-right: 8px;

@keyframes spin { to { transform: rotate(360deg); } }

</style>

</head>

<body class="min-h-screen pb-12">

  <!-- Pop-up Modal -->

  <div id="popup-modal" class="modal-overlay">

    <div class="modal-box">

      <div id="popup-icon" class="modal-icon success">✓</div>

```

```

    <h3 id="popup-title" class="text-xl font-bold text-gray-800 mb-2">Berhasil!</h3>

    <p id="popup-message" class="text-gray-500 text-sm mb-6">Absen berhasil disimpan</p>

    <button id="popup-ok-btn" onclick="closePopupAndRefresh()" class="w-full py-3 bg-green-600 hover:bg-green-700 text-white font-bold rounded-xl transition-all">

<!-- Header -->

<header class="container mx-auto px-4 py-6">

    <div class="bg-white rounded-xl p-6 text-center shadow-lg relative">

        <div class="flex flex-row items-center justify-between">

            <div class="w-20 md:w-24">

            </div>

            <div class="flex-1 px-2">

                <h2 class="text-green-700 font-bold text-sm md:text-base">Absensi Karyawan</h2>

                <h1 class="text-green-800 font-extrabold text-sm md:text-lg leading-tight uppercase">KOPERASI SIMPAN PINJAM DAN PEMBIAYAAN SYARIAH</h1>

                <h1 class="text-green-800 font-black text-lg md:text-2xl leading-tight uppercase">HARAPAN UMAT KEBUMEN</h1>

                <p class="text-[8px] md:text-[10px] text-gray-400 mt-1">AHU-0002536.AH.01.38.TAHUN 2022</p>

                <p class="text-[8px] md:text-[10px] text-gray-400">Jalan Dampit Plarangan Karanganyar Kebumen Telp. (0287) 6655224</p>

                <p class="text-[8px] md:text-[10px] text-blue-500 lowercase">harapan.umat.kebumen@gmail.com</p>

            </div>

            <div class="w-20 md:w-24">

</div>

<div class="border-t border-gray-100 mt-4 pt-4 flex justify-between items-
center">

    <div class="flex items-center gap-3">

        <div class="w-9 h-9 rounded-full bg-green-100 flex items-center
justify-center text-green-700 font-bold text-sm">

            <?php echo strtoupper(substr($nama_karyawan, 0, 1)); ?>

        </div>

        <div class="text-left">

            <p class="font-bold text-gray-800 text-sm"><?php echo
htmlspecialchars($nama_karyawan); ?></p>

            <p class="text-[10px] text-gray-400">Halaman Absensi</p>

        </div>

    </div>

    <a href="logout.php" class="bg-red-500 hover:bg-red-600 text-white
px-4 py-1 rounded-md text-sm font-bold shadow-md transition-all">Logout</a>

</div>

</div>

</header>

<main class="container mx-auto px-4">

    <div class="max-w-6xl mx-auto space-y-6">

        <div id="geofence-status" class="bg-white/90 backdrop-blur p-3 rounded-
xl text-center text-sm font-bold shadow-sm text-gray-600 border border-
white/50">

            Mendeteksi Lokasi GPS...

        </div>

    <div class="max-w-4xl mx-auto space-y-6">

        <div class="space-y-6">

```

```
<div class="bg-white rounded-xl shadow-xl overflow-hidden min-h-[500px]">
```

```
<div class="flex bg-gray-50 border-b">
```

```
<a href="?view=absensi" class="px-8 py-4 font-bold text-sm transition-all <?php echo $current_view == 'absensi' ? 'text-green-600 border-b-2 border-green-600 bg-white' : 'text-gray-400 hover:text-gray-600'; ?>">
```

Absensi

```
<a href="?view=izin" class="px-8 py-4 font-bold text-sm transition-all <?php echo $current_view == 'izin' ? 'text-green-600 border-b-2 border-green-600 bg-white' : 'text-gray-400 hover:text-gray-600'; ?>">
```

Pengajuan Izin

```
<?php if ($current_view == 'absensi'): ?>
```

```
<div class="text-center mb-10">
```

```
<h3 id="live-clock" class="text-6xl font-black text-gray-800 tracking-tight">00:00:00</h3>
```

```
<p class="text-gray-500 font-medium mt-2"><?php echo date('l, d F Y'); ?></p>
```

```
<?php if ($terlambat && !$data_absensi): ?>
```

```
<div class="mt-4 inline-block bg-red-100 text-red-600 px-4 py-1 rounded-full text-xs font-bold uppercase tracking-widest animate-pulse">
```

```
Terlambat: <?php echo $menit_terlambat; ?> Menit  
(Denda: Rp <?php echo number_format($total_denda, 0, ',', '.'); ?>)
```

```
<div class="max-w-md mx-auto">
```

```
<?php if (!$data_absensi): ?>
```

```
<!-- FORM ABSEN MASUK -->
```

```
<div class="bg-gray-50 rounded-2xl p-6 border border-gray-200 shadow-inner">
```

```
<h4 class="text-gray-800 font-bold mb-6 text-center uppercase tracking-wider">Presensi Masuk</h4>
```

```
<form id="form-masuk" enctype="multipart/form-data" class="space-y-5">
```

<label class="block text-[11px] font-bold text-gray-500 uppercase mb-2">Rencana Aktivitas Hari Ini:</label>

<textarea name="rencana_aktivitas" required
class="w-full border border-gray-200 rounded-xl
p-3 text-sm focus:ring-2 focus:ring-green-500 outline-none h-20"
placeholder="Rencana kegiatan
harian..."></textarea>

<label class="block text-[11px] font-bold text-red-500 uppercase mb-2">Alasan Terlambat:</label>

<textarea name="alasan_terlambat" required
class="w-full border border-red-200 rounded-xl
p-3 text-sm focus:ring-2 focus:ring-red-500 outline-none h-20 bg-red-50"
placeholder="Wajib diisi karena Anda
terlambat..."></textarea>

<label class="block text-[11px] font-bold text-gray-500 uppercase mb-2">Foto Selfie:</label>

<input type="file" name="foto_masuk"
accept="image/*" capture="user" required class="w-full text-xs text-gray-500
file:mr-4 file:py-2 file:px-4 file:rounded-full file:border-0 file:text-xs file:font-
semibold file:bg-green-50 file:text-green-700">

<div class="bg-gray-50 rounded-2xl p-6 border border-
gray-200 shadow-inner">

<h4 class="text-gray-800 font-bold mb-6 text-center
uppercase tracking-wider">Presensi Pulang</h4>

<div class="mb-4 p-3 bg-green-100 text-green-700
rounded-xl text-xs font-bold text-center">

✅ Anda sudah absen masuk pukul <?php echo
\$data_absensi['jam_masuk']; ?>

</div>

<?php if (\$now < \$jam_pulang_normal): ?>

<div class="text-center p-4 bg-yellow-100 text-
yellow-800 rounded-xl text-xs font-bold mb-4">

Tombol pulang akan aktif otomatis pada pukul
16:00

```

<form id="form-pulang" enctype="multipart/form-data"
class="space-y-5">

    <input type="hidden" name="absen_pulang"
value="1">
    <label class="block text-[11px] font-
bold text-gray-500 uppercase mb-2">Laporan Capaian Hari Ini:</label>

    <textarea name="capaian_aktivitas" required
class="w-full border border-gray-200 rounded-xl
p-3 text-sm focus:ring-2 focus:ring-blue-500 outline-none h-24"
placeholder="Apa saja yang sudah
dikerjakan..."></textarea>

    <label class="block text-[11px] font-bold text-blue-
500 uppercase mb-2">📷 Upload Foto Bukti Kegiatan:</label>

    <input type="file" name="foto_pulang"
accept="image/*" capture="user" required
class="w-full text-xs text-gray-500 file:mr-4
file:py-2 file:px-4 file:rounded-full file:border-0 file:text-xs file:font-semibold
file:bg-blue-50 file:text-blue-700">

    <p class="text-[10px] text-gray-400 mt-1 italic">*</p>
Wajib upload foto sebagai bukti aktivitas</p>

    <button type="submit" id="btn-submit-pulang"
class="<?php echo ($now < $jam_pulang_normal) ?
'disabled-btn' : ''; ?> w-full py-4 bg-blue-500 hover:bg-blue-600 text-white font-
bold rounded-xl shadow-lg transition-all uppercase tracking-widest"

    <?php echo ($now < $jam_pulang_normal) ?
'disabled' : ''; ?>>
    <div class="bg-gray-50 rounded-2xl p-8
border border-gray-200 shadow-inner text-center">

        <div class="w-20 h-20 bg-green-100 rounded-full flex
items-center justify-center mx-auto mb-4">

            <span class="text-4xl">✅ </span>

        </div>

        <h4 class="text-gray-800 font-bold text-lg mb-
2">Absensi Hari Ini Selesai</h4>

```

```

        <p class="text-gray-500 text-sm">Masuk: <?php echo
$data_absensi['jam_masuk']; ?> — Pulang: <?php echo
$data_absensi['jam_pulang']; ?></p>

```

```

        <p class="text-gray-400 text-xs mt-2">Terima kasih atas
kerja keras Anda hari ini! 🎉</p>

```

```

<?php elseif ($current_view == 'izin'): ?>

```

```

    <div class="space-y-6">

```

```

        <div class="border-b pb-4">

```

```

            <h3 class="text-green-700 font-bold text-lg">Ajukan
Permohonan Izin</h3>

```

```

            <p class="text-[10px] text-red-500 italic mt-1 font-
semibold">* Pengajuan cuti bulanan minimal 2 minggu sebelumnya</p>

```

```

        </div>

```

```

        <form action="proses_izin.php" method="POST"
enctype="multipart/form-data" class="space-y-4">

```

```

            <input type="hidden" name="ajukan_izin" value="1">

```

```

            <div>

```

```

                <label class="block text-xs font-bold text-gray-500
uppercase mb-1">Jenis Izin</label>

```

```

                <select name="jenis_izin" required class="w-full border
border-gray-200 rounded-lg p-2.5 text-sm outline-none focus:ring-2 focus:ring-
green-500">

```

```

                    <option value="Izin Sakit">Izin Sakit</option>

```

```

                    <option value="Cuti Tahunan">Cuti
Tahunan</option>

```

```

                    <option value="Izin Umum">Izin Umum</option>

```

```

                </select>

```

```

            </div>

```

```

        <div class="grid grid-cols-2 gap-4">

```

```

            <div>

```

```

<label class="block text-xs font-bold text-gray-500
uppercase mb-1">Tanggal Mulai</label>

<input type="date" name="tgl_mulai" required
class="w-full border border-gray-200 rounded-lg p-2.5 text-sm">

<label class="block text-xs font-bold text-gray-500
uppercase mb-1">Tanggal Selesai</label>

<input type="date" name="tgl_selesai" required
class="w-full border border-gray-200 rounded-lg p-2.5 text-sm">

<label class="block text-xs font-bold text-gray-500
uppercase mb-1">Alasan</label>

<textarea name="alasan" required class="w-full border
border-gray-200 rounded-lg p-2.5 text-sm h-20" placeholder="Jelaskan alasan
izin..."></textarea>

<label class="block text-xs font-bold text-gray-500
uppercase mb-1">Foto Bukti (opsional)</label>

<input type="file" name="foto_bukti" accept="image/*"
class="w-full text-xs text-gray-500 file:mr-4 file:py-2 file:px-4 file:rounded-full
file:border-0 file:text-xs file:font-semibold file:bg-green-50 file:text-green-700">

</div>

<button type="submit" class="w-full py-3 bg-green-600
text-white font-bold rounded-lg shadow uppercase text-xs">Kirim
Pengajuan</button>

<div class="mt-8 border-t pt-6">

  <h4 class="text-green-800 font-bold text-sm uppercase mb-4 flex items-center
gap-2">

    <span class="w-2 h-4 bg-green-600 rounded-sm"></span>

    Riwayat & Status Izin

  </h4>

  <div class="overflow-x-auto">

    <table class="w-full text-left text-xs border-collapse">

      <thead>

        <tr class="bg-gray-50 text-gray-600 uppercase">

```

```

<th class="p-3 border-b font-bold">Jenis Izin</th>

<th class="p-3 border-b font-bold">Rentang Tanggal</th>

<th class="p-3 border-b font-bold text-center">Status ACC</th>

</tr>

</thead>

<tbody>

<?php if ($result_riwayat_izin && mysqli_num_rows($result_riwayat_izin) >
0): ?>

<?php while($row = mysqli_fetch_assoc($result_riwayat_izin)): ?>

<tr class="border-b hover:bg-gray-50 transition-colors">

<td class="p-3 font-semibold text-gray-700"><?php echo
htmlspecialchars($row['tipe_izin']); ?></td>

<td class="p-3 text-gray-600">

<?php echo date('d M', strtotime($row['tanggal_mulai'])); ?> - <?php
echo date('d M Y', strtotime($row['tanggal_akhir'])); ?>

</td>

<td class="p-3 text-center">

<?php

$status = $row['status_izin'];

$badge_color = "bg-yellow-100 text-yellow-700";

if($status == 'Approved') {

    $badge_color = "bg-green-100 text-green-700";

    $display_status = "Disetujui";

} elseif($status == 'Rejected') {

    $badge_color = "bg-red-100 text-red-700";

    $display_status = "Ditolak";

} else {

```

```

        $display_status = "Menunggu";

        <span class="px-3 py-1 rounded-full text-[10px] font-extrabold
uppercase tracking-wider <?php echo $badge_color; ?>">

        <?php echo $display_status; ?>

        <td colspan="3" class="p-8 text-center text-gray-400 italic">Belum ada
riwayat pengajuan izin.</td>

</div> <!-- Penutup space-y-6 -->

<?php endif; ?>

<?php if ($current_view == 'absensi'): ?>

<div class="space-y-6">

    <!-- Rekap Sisi Kanan -->

    <div class="space-y-6">

        <div class="bg-white rounded-xl p-6 shadow-xl">

            <h3 class="text-green-700 font-bold mb-4 border-b pb-2
text-sm uppercase">Rekap Absensi Anda</h3>

            <div class="bg-green-50 rounded-lg p-4 mb-4 border
border-green-100">

                <p class="text-[10px] font-bold text-green-800
uppercase mb-3">Ringkasan Hari Ini</p>

                <div class="space-y-2 text-xs text-gray-700">

                    <div class="flex justify-
between"><span>Status:</span> <span class="font-bold <?php echo
$data_absensi ? 'text-green-600' : 'text-red-500'; ?>"><?php echo $data_absensi ?
($sudah_pulang ? 'Sudah Pulang' : 'Sudah Masuk') : 'Belum Absen';
?></span></div>

                    <div class="flex justify-between"><span>Jam
Masuk:</span> <span class="font-bold"><?php echo $data_absensi ?
$data_absensi['jam_masuk'] : '-'; ?></span></div>

                    <div class="flex justify-between"><span>Jam
Pulang:</span> <span class="font-bold"><?php echo ($data_absensi &&
$sudah_pulang) ? $data_absensi['jam_pulang'] : '-'; ?></span></div>

```

```

        <div class="flex justify-
between"><span>Denda:</span> <span class="font-bold text-red-600">Rp <?php
echo number_format($total_denda, 0, ',', '.'); ?></span></div>

    <div class="bg-gray-50 rounded-lg p-4 border border-gray-
100">

        <p class="text-[10px] font-bold text-gray-500 uppercase
mb-3">Ringkasan Bulanan</p>

        <div class="space-y-2 text-xs text-gray-600">

            <div class="flex justify-between">

                <span>Total Kehadiran:</span>

                <span class="font-bold"><?php echo $total_hadir;
?> Hari</span>

            </div>

            <div class="flex justify-between text-red-600">

                <span>Total Denda:</span>

                <span class="font-bold">Rp <?php echo
number_format($total_denda_bulanan, 0, ',', '.'); ?></span>

            </div>

            <?php if (!empty($riwayat_bulanan)): ?>

                <div class="mt-3 pt-2 border-t border-gray-200">

                    <p class="text-[9px] font-bold text-gray-400
uppercase mb-2">Riwayat Harian (Bulan Ini):</p>

                    <div class="max-h-40 overflow-y-auto space-y-1
pr-1">

                        <?php foreach($riwayat_bulanan as $rb): ?>

                            <div class="p-2 bg-white rounded border
border-gray-100 mb-1">

                                <div class="flex justify-between text-[10px]
font-bold text-gray-700">

                                    <span>Tgl <?php echo $rb['tanggal'];
?></span>

```

```

? 'text-red-500' : 'text-green-500'; ?>">
    <span class="<?php echo $rb['denda'] > 0
? 'Denda:
Rp '.number_format($rb['denda'], 0, ',', '.') : $rb['status']; ?>
    <div class="flex justify-between text-[9px] text-gray-500 mt-0.5">

    <span>Masuk: <?php echo $rb['masuk'];
?></span>

    <span>Pulang: <?php echo $rb['pulang'];
?></span>

    <hr class="my-2">

    <div class="grid grid-cols-2 gap-y-2 text-[10px] font-
semibold uppercase">

        <div class="flex items-center gap-1">
            <span class="w-2 h-2 rounded-full bg-blue-
400"></span> Sakit: <?php echo $total_sakit; ?>
        </div>

        <div class="flex items-center gap-1">
            <span class="w-2 h-2 rounded-full bg-yellow-
400"></span> Izin: <?php echo $total_izin; ?>
        </div>

        <div class="flex items-center gap-1">
            <span class="w-2 h-2 rounded-full bg-red-
400"></span> Alpa: <?php echo $total_alpa; ?>
        </div>

        <div class="flex items-center gap-1">
            <span class="w-2 h-2 rounded-full bg-green-
400"></span> Hadir: <?php echo $total_hadir; ?>
        </div>

    <div class="mt-4 text-[10px] text-gray-400 leading-tight
italic">

        * Batas Masuk: 07:30 WIB<br>
        * Batas Pulang: 16:00 WIB<br>
        * Denda Keterlambatan: Rp 500 / Menit

```

```
<div class="bg-white rounded-xl p-4 shadow-md border-l-4 border-yellow-500">
```

```
<p class="text-[10px] font-bold text-gray-400 uppercase">Informasi Jangkauan</p>
```

```
<p class="text-xs text-gray-600 mt-1 italic">Pastikan GPS aktif. Radius absen adalah 100 meter dari kantor.</p>
```

```
// 1. KONFIGURASI KANTOR
```

```
const OFFICE_LAT = -7.675979;
```

```
const OFFICE_LON = 109.646696;
```

```
const MAX_DISTANCE = 200; // Radius dalam meter
```

```
let isInsideRadius = false;
```

```
function updateClock() {
```

```
    const now = new Date();
```

```
    const timeString = now.getHours().toString().padStart(2, '0') + ":" +
```

```
        now.getMinutes().toString().padStart(2, '0') + ":" +
```

```
        now.getSeconds().toString().padStart(2, '0');
```

```
    const clockEl = document.getElementById('live-clock');
```

```
    if(clockEl) clockEl.innerText = timeString;
```

```
    if (timeString === "00:00:00") {
```

```
        window.location.reload();
```

```
function calculateDistance(lat1, lon1, lat2, lon2) {
```

```
    const R = 6371e3;
```

```
    const  $\phi_1$  = lat1 * Math.PI/180;
```

```
    const  $\phi_2$  = lat2 * Math.PI/180;
```

```
    const  $\Delta\phi$  = (lat2-lat1) * Math.PI/180;
```

```
    const  $\Delta\lambda$  = (lon2-lon1) * Math.PI/180;
```

```
    const a = Math.sin( $\Delta\phi$ /2) * Math.sin( $\Delta\phi$ /2) +
```

```
        Math.cos( $\phi_1$ ) * Math.cos( $\phi_2$ ) *
```

```

    Math.sin( $\Delta\lambda/2$ ) * Math.sin( $\Delta\lambda/2$ );

    return R * 2 * Math.atan2(Math.sqrt(a), Math.sqrt(1-a))

function checkLocation() {

    const statusEl = document.getElementById('geofence-status');

    const btnMasuk = document.getElementById('btn-submit-masuk');

    const btnPulang = document.getElementById('btn-submit-pulang');

    if (!navigator.geolocation) {

        statusEl.innerText = "❌ Browser tidak mendukung GPS";

        return;

    }

    const options = {

        enableHighAccuracy: true,

        timeout: 10000,

        maximumAge: 0

    };

    function handleSuccess(pos) {

        const userLat = pos.coords.latitude;

        const userLon = pos.coords.longitude;

        const dist = calculateDistance(userLat, userLon, OFFICE_LAT, OFFICE_LON);

        const isInsideRadius = dist <= MAX_DISTANCE;

        if (isInsideRadius) {

            statusEl.innerHTML = `✅ LOKASI TERVERIFIKASI ($ {Math.round(dist)}M)`;

            statusEl.className = "bg-green-100 border border-green-500 p-3 rounded-xl text-center text-sm font-bold text-green-700 shadow-sm";

            if (btnMasuk) { btnMasuk.disabled = false; btnMasuk.classList.remove('disabled-btn'); }

            // Aktifkan tombol pulang jika dalam radius DAN sudah lewat jam 16:00

            if (btnPulang && !btnPulang.hasAttribute('data-time-disabled')) {

```

```

    btnPulang.disabled = false;

    btnPulang.classList.remove('disabled-btn');

    statusEl.innerHTML = ` ❌ DI LUAR RADIUS
    (${Math.round(dist)}M)<br><span class="text-[10px] font-normal">Anda harus
    berada dalam jarak ${MAX_DISTANCE}M dari kantor.</span>`;

    statusEl.className = "bg-red-100 border border-red-500 p-3 rounded-xl
    text-center text-sm font-bold text-red-700 shadow-sm";

    if(btnMasuk) { btnMasuk.disabled = true;
    btnMasuk.classList.add('disabled-btn'); }

    if(btnPulang) { btnPulang.disabled = true;
    btnPulang.classList.add('disabled-btn'); }

    function handleError(err) {
        let msg = "";
        switch(err.code) {
            case 1: msg = " ❌ IZIN LOKASI DITOLAK. Klik ikon gembok di
            alamat web dan pilih 'Allow Location.'; break;
            case 2: msg = " ❌ POSISI TIDAK TERDETEKSI. Pastikan GPS
            HP/Laptop Anda Aktif."; break;
            case 3: msg = " ❌ WAKTU HABIS. Mencoba mendeteksi ulang...";
            break;
            default: msg = "Gagal mendapatkan lokasi.";
        }
        statusEl.innerText = msg;

        statusEl.className = "bg-orange-100 border border-orange-500 p-3
        rounded-xl text-center text-sm font-bold text-orange-700";

        navigator.geolocation.watchPosition(handleSuccess, handleError, options);

        function showPopup(title, message, isSuccess) {
            const modal = document.getElementById('popup-modal');
            const icon = document.getElementById('popup-icon');
            const titleEl = document.getElementById('popup-title');
            const msgEl = document.getElementById('popup-message');

```

```

titleEl.innerText = title;

msgEl.innerText = message;

icon.className = 'modal-icon ' + (isSuccess ? 'success' : 'error');

icon.innerText = isSuccess ? '✓' : 'X';

modal.classList.add('active');

function closePopupAndRefresh() {

    document.getElementById('popup-modal').classList.remove('active');

    window.location.href = 'absen.php';

// --- AJAX FORM SUBMIT: ABSEN MASUK ---

const formMasuk = document.getElementById('form-masuk');

if (formMasuk) {

    formMasuk.addEventListener('submit', function(e) {

        e.preventDefault()

        if (!isInsideRadius) {

            showPopup('Gagal!', 'Anda harus berada dalam radius kantor untuk absen.', false);

            return;

            const btn = document.getElementById('btn-submit-masuk');

            btn.innerHTML = '<span class="spinner"></span> Menyimpan...';

            btn.disabled = true;

            const formData = new FormData(formMasuk)

            fetch('absen.php', {

                method: 'POST',

                headers: { 'X-Requested-With': 'XMLHttpRequest' },

                body: formData

            }).then(r => r.json())

```

```

.then(data => {
    showPopup(
        data.success ? 'Absen Berhasil! ✅' : 'Gagal!',
        data.message,
        data.success
    )
.catch(err => {
    showPopup('Error!', 'Terjadi kesalahan jaringan.', false);
    btn.innerHTML = 'Konfirmasi Masuk';
    btn.disabled = false;
// --- AJAX FORM SUBMIT: ABSEN PULANG ---
const formPulang = document.getElementById('form-pulang');
if (formPulang) {
    formPulang.addEventListener('submit', function(e) {
        e.preventDefault();
        if (!isInsideRadius) {
            showPopup('Gagal!', 'Anda harus berada dalam radius kantor untuk absen pulang.', false);
            return;
        }
        const btn = document.getElementById('btn-submit-pulang');
        btn.innerHTML = '<span class="spinner"></span> Menyimpan...';
        btn.disabled = true;
        const formData = new FormData(formPulang)
        fetch('absen.php', {
            method: 'POST',
            headers: { 'X-Requested-With': 'XMLHttpRequest' },
            body: formData
        })
        .then(r => r.json())

```

```

.then(data => {
    showPopup(
        data.success ? 'Pulang Berhasil! 🏠' : 'Gagal!',
        data.message,
        data.success
    )
.catch(err => {
    showPopup('Error!', 'Terjadi kesalahan jaringan.', false);
    btn.innerHTML = 'Konfirmasi Pulang';
    btn.disabled = false;

// Mark time-disabled pulang button
const btnPulangEl = document.getElementById('btn-submit-pulang');
<?php if ($now < $jam_pulang_normal): ?>
if (btnPulangEl) btnPulangEl.setAttribute('data-time-disabled', 'true');
<?php endif; ?>
setInterval(updateClock, 1000);
window.addEventListener('load', function() {
    updateClock();
    checkLocation();

```